

**Notice Inviting Tender**

Tenders are invited for the supply and installation of Laboratory Conditioning Chamber (One No.) of Capacity 30''X24''X24'' at Indian Institute of Carpet Technology (IICT),Chauri Road, Bhadohi-221401 (U.P.).

For details and Tender document. visit Institute website [www.iict.ac.in](http://www.iict.ac.in) .

**Director, IICT**

**Subject: Tender for the Supply and installation of Conditioning Chamber-1 no, Capacity 30" X 24" X 24" at IICT, Bhadohi-221401.**

Tender / Quotation are invited for the supply and installation of below mentioned item/machine on urgent basis at IICT, Bhadohi .

S. No	Item /Machine with Specifications	Quantity	Rate (Rs.)	Amount (Rs.)
1	Hour totliser: Records total cumulative no. of hrs. the instrument has run. Shelves: 2 numbers. SS shelves Temp. Range : 15-60 °C, Accuracy : $\pm 1^{\circ}\text{C}$ Display : LED (Digital) display of Temperature with least count 0.1 °C Humidity range 20%-98%, Accuracy : $\pm 2\%$ Display : LED (Digital) display of relative humidity with least count 1% Inner Side: Stainless Steel, Outside: Mild Steel duly powder coated. Viewing: Viewing glass incorporated into visual examination of sample with proper insulation. internal Dimensions: Height x width x depth 30" X 24" X 24"	01 No.		
Total				
Add : GST@.....				
Packing /Forwarding/Transportation/Other Charge, if any				
G.Total				

**Terms & conditions**

1. Taxes, if applicable may be mentioned separately.
2. The Packing /Forwarding/Transportation/Other Charge: if any may be mentioned separately.
3. Brand name & Catalogue of Conditioning Chamber, list of clients should also submitted along with tender / quotation.
4. Payment terms may also be mentioned.
5. The tender/ Quotation in closed envelope with all documents must reach this office latest by 04.05.2021 upto 1 .00 pm and will be opened on the same day at 3.00 pm onwards in the Committee Room of the IICT, Bhadohi.
6. Interested bidders /authorized representatives may remain present during tender opening, if like.

Director, IICT